



NEWS RELEASE

ROXMARK REPORTS HIGH-GRADE GOLD INTERSECTS 16.86 g/t ACROSS 5.5 m AT TENACITY HARDROCK PROJECT

Toronto, Ontario, April 15, 2009 Roxmark Mines Limited (TSXV–RMK) today reported that the drilling program being carried out on the **Hardrock Project joint venture** in Geraldton, Northwestern Ontario by **Premier Gold Mines Limited** as operator continues to return high-grade gold mineralization in the Tenacity Zone, as well as high-grade narrow vein mineralization in a deeper target (KL Zone).

Results suggest that the Tenacity Zone may improve with depth as confirmed by an intersection of **16.86 grams per tonne gold (g/t Au) across 5.5 metres (m)** in the furthest down-plunge section drilled to date. Additionally, drilling has confirmed high-grade gold in a deeper target beneath Tenacity with intersections of **40.1g/t Au across 1.0m and 17.45g/t Au across 1.9m**.

Highlights of recent Tenacity drilling include:

- **Drilling suggests the potential to develop both open pit and underground resources with apparent improvement in grade and continuity down-plunge.**
- **Exploration drilling (three holes) confirmed high-grade gold mineralization within a narrow vein target with intersections in excess of 17.14 g/t Au (>0.50 oz/ton).**

Follow-up drilling at Tenacity, as well as the testing of other target areas, is ongoing.

TENACITY ZONE

Drilling at the Tenacity Zone has confirmed the potential for both open pit and underground-style gold mineralization. Drilling has defined open pit-style mineralization over a strike length of approximately 400 metres and is now testing for higher-grade mineralization that could be amenable to mining from a ramp below the potential pit workings. Mineralization remains open at depth with the strongest intersection being seen in hole TN025, the first hole with assays from the western-most (down-plunge) section drilled to date. Tenacity intersections of more than 20 metres have been visually confirmed down-dip from hole TN025, which returned 16.86g/t Au across 5.5m.

Follow-up drilling continues to intersect strong vein zones including several occurrences of visible gold. Highlights from recent drilling are presented in Table 1 (Note that holes TN013, 016, 017, 019, 021 and 023 were drilled east of the main area under the ice with no significant intercepts):

Table 1 Recent Tenacity Zone Intercepts

Hole No.	Grid Co-ordinates (m)	Dip/Azimuth (degrees)	Intersection From-To (m)	Interval (m)	Interval (ft)	Au (g/ton)	Au (oz/t)	Zone
TN018	505449 mE 5502553 mN	-50/360	181.3-198.7	17.4	57.1	1.93	0.06	Tenacity
TN020	505449 mE 5502456 mN	-50/360	322.3-323.7	1.4	4.6	3.97	0.12	Tenacity
TN022	505449 mE 5502532 mN	-60/360	98.8-111.2 231.1-252.7	12.4 21.6	40.7 70.8	2.36 1.16	0.07 0.03	Tenacity
TN025	505400 mE 55502556 mN	-50/360	192.0-197.5	5.50	18.00	16.86	0.49	Tenacity

* True widths estimated at approximately 70% of intersection widths

KL ZONE

Three holes have successfully tested a high-grade narrow vein target (KL Zone) below the main Tenacity Zone. This drilling confirms the potential to define high-grade underground gold mineralization and the zone remains open, both up and down-plunge.

Follow-up drilling to test for extensions of the KL Zone has started. Highlights from this drilling are profiled in Table 2.

Table 2 Recent KL Zone Intercepts

Hole No.	Grid Coordinates (m)	Dip/Azimuth (Degrees)	Intersection From-to (m)	Int. (m)	Int. (ft)	Au (g/t)	Au (oz/ton)	Zone
TN012	505749N 5502617E	-50/360		1.9	6.2	17.45	0.51	KL Zone
TN014	505749N 5502617E	-70/360	Assays Pending			VG		KL Zone
TN015	505648N 5502605E	-45/360		1.0	3.3	40.20	1.17	KL Zone

* True widths estimated at approximately 70% of intersection widths

These results in both the Tenacity and the KL Zones demonstrate continuity and grade, supporting the Operator's belief that historic and new results will be utilized in a NI 43-101 compliant resource calculation, which is expected to be completed in Q4 2009. The current program at **Hardrock Project** is expected to consist of more than 50,000 metres of definition and exploration drilling.

Importantly, the Hardrock Project has the potential for defining several styles of mineralization capable of hosting resources, with grades and widths similar to many of Ontario's major gold mines including:

- 1) Open pit-style mineralization with grades exceeding 1.5 g/t Au (Timmins, Hemlo)
- 2) Broad zones of mineralization with grades averaging 5.0+ g/t Au (Musselwhite)
- 3) Narrow vein zones with higher gold grades often exceeding 7.0g/t (Red Lake, Pickle Lake).

The Project is operated by Premier Gold Mines Limited (TSX-PG) under a joint venture in which Premier is earning a 70% interest and Roxmark has a 30% carried interest. The **Hardrock Project** is host to several past-producing mines which collectively produced more than 2.0 million ounces of gold from the same deposits to shallow depths of some 2000 feet (600 metres) from 1938-1968. The mined zones remained open at depth at the time mining ceased and developed historical resources were left in place within the existing mine workings. *(A qualified person has not done sufficient work to verify the historical resource, the Company is not treating the historical resource as a current resource and the historical resource should not be relied upon).*

Initial drilling is focusing on delineating both open pit and underground resources with the goal of defining a multi-million ounce gold resource that can be moved quickly towards development (*see references to historical resources above.*). The Project offers development advantages with the Trans-Canada Highway, TransCanada Pipeline, and major power lines running through or located proximal to the property. Significant potential exists for developing resources in several areas including: open pit-style mineralization at the site of the original discovery where a resource containing several hundred thousand ounces of gold was partially drilled off by previous operators; several newer high-grade discoveries that have been made throughout this large property package that have received little to no follow-up; resource blocks reported to remain within the mine workings; and the main mined zones which remain open below the 600 m level.

Stephen McGibbon, P. Geo., is the Qualified Person for the information contained in this news release and is a Qualified Person within the meaning of National Instrument 43-101. The assay results presented are from core samples sent to Activation Laboratories, an accredited mineral analysis laboratory in Thunder Bay, Ontario, for preparation and analysis utilizing both fire assay and screen metallic methods.

The **Hardrock Project** is located in the heart of the Beardmore-Geraldton Greenstone Belt, a highly prospective high-grade gold district that has seen relatively little exploration over the past several decades.

About Roxmark Mines

Roxmark Mines Limited is the leader in gold and molybdenum exploration and development in the historically significant Geraldton-Beardmore area of Northwest Ontario. In addition to the Hardrock Project in the Geraldton Camp, Roxmark is aggressively pursuing a number of initiatives in the Beardmore Camp, including re-opening the Northern Empire Mine utilizing the upgraded onsite mill. In recent years, Roxmark has generated cash flow from bulk-sampled gold and molybdenum processed at its fully-permitted mill and has the advantage of infrastructure from nine formerly highly productive gold mines located on its properties. These mines previously produced nearly four million ounces of gold from high-grade ore but were closed primarily due to dramatically lower gold prices at the time and to boundary issues, since eliminated.

Further information is available on the Company's website at www.roxmark.com and on SEDAR under the Company's profile at www.sedar.com.

Forward-Looking Statements

This news release includes certain "forward-looking statements". Such forward-looking statements involve risks and uncertainties. The results or events predicted in these forward-looking statements may differ materially from actual results or events. Any forward-looking statement speaks only as of the date of this news release and, except as may be required by applicable securities laws, the Company disclaims any intent or obligation to update any forward-looking statement, whether as a result of new information, future events or results or otherwise.

Monir Younan, President
Roxmark Mines Limited
801- 80 Richmond St. West
Toronto, Ontario M5H 2A4

Tel.: (416) 860-1636
Fax: (416) 360-7355
E-mail: roxmark@on.aibn.com
Website: www.roxmark.com

Neither TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.