



NEWS RELEASE

ROXMARK REPORTS 7.6 g/t Au ACROSS 20.5 METRES WITHIN EP ZONE OPEN PIT TARGET, AS HARDROCK DRILLING CONTINUES TO INTERSECT HIGH GRADE GOLD

Toronto, Ontario, April 22, 2009 Roxmark Mines Limited (TSXV–RMK) today reported additional high grade results from the ongoing delineation drilling program being carried out on the **Hardrock Project joint venture** in Geraldton, Northwestern Ontario by **Premier Gold Mines Limited** as operator.

Drilling into the South Limb of the highly prospective EP-Zone continues to outline high grade open pit-style mineralization with **new intersections that include 7.60 grams per tonne gold (g/t Au) across 20.5 metres (m) in hole EP44, 11.96 g/t Au across 4.8 m in hole EP39 and 3.02 g/t Au across 18.1 m in hole EP42.**

Drilling at the EP-Zone target continues to expand near surface (open pit-style) mineralization within several parallel horizons. The new results compliment previously announced intersections within the North Limb that included 4.56 g/t Au across 24.5m in hole EP029, 3.04 g/t Au across 31.3m in hole EP031, 2.63 g/t Au across 43.5m in hole EP032, and 2.37 g/t Au across 62.7m in hole EP026, suggesting strong tonnage potential as drilling progresses into the heart of the EP-Zone.

The following table summarizes recent results from drilling at the EP-Zone. Please note that holes EP037-043 all intersected historically mined stopes prior to completely testing the horizon:

Hole-ID	UTM Coordinates (m)	Dip/Azimuth (degrees)	EP-Zone	From (m)	To (m)	Interval (m)	Grade (g/tonne)	Interval (ft)	Grade (oz/ton)
EP037	504900 E 5503072 N	-45/360	South Limb	88.7	92.5	3.8	1.18	12.5	0.03
EP038	504900 E 5503053 N	-45/360	South Limb C	15.0	17.5	2.5	2.50	8.2	0.07
			South Limb B	58.6	64.2	5.6	1.06	18.4	0.03
			South Limb	99.0	106.0	7.0	0.95	23.0	0.03
EP039	504900 E 5503053 N	-60/360	South Limb C	12.4	17.2	4.8	11.96	15.7	0.35
			South Limb B	53.5	60.5	7.0	1.46	23.0	0.04
EP040	504851 E 5503074 N	-45/360	South Limb	57.0	58.8	1.8	4.80	5.9	0.14
EP041	504851 E 5503052 N	-45/360	South Limb	67.0	87.7	20.7	1.34	67.9	0.04
			South Limb	94.5	102.0	7.5	1.53	24.6	0.04
			North Limb	112.5	117.5	5.0	1.33	16.4	0.04
EP042	504851 E 5503052 N	-60/360	South Limb B	59.7	74.0	14.3	2.56	46.9	0.07
			South Limb	95.7	113.8	18.1	3.02	59.4	0.09
			South Limb	128.4	144.5	16.1	1.39	52.8	0.04

EP043	504852 E 5503027 N	-60/360	South Limb C	38.8	54.1	15.3	1.38	50.2	0.04
			South Limb B	91.5	110.7	19.2	1.03	63.0	0.03
			South Limb B	134.0	140.0	6.0	1.44	19.7	0.04
			South Limb	162.6	177.7	15.1	1.72	49.5	0.05
EP044	504811 E 5503081 N	-45/360	South Limb	57.0	77.5	20.5	7.60	67.2	0.22
			South Limb	95.5	100.5	5.0	7.52	16.4	0.22
			North Limb	111.0	147.8	36.8	1.05	120.7	0.03
EP045	504811 E 5503054 N	-45/360	South Limb	89.9	95.0	5.1	10.66	16.7	0.31
			South Limb	123.5	135.3	11.8	5.42	38.7	0.16

* True widths estimated at approximately 70% of intersection width

The EP-Zone is comprised of near-surface mineralization proximal to the historic North Zone mine workings from which nearly one million ounces of gold was produced to a depth of 2,000 feet. Drilling has identified multiple sub-zones within the iron formation-hosted South (SL) and North (NL) Limbs of the EP target. **Significant mineralization has been intersected over a strike length of more than 500 m, to depths of up to 150 m, and remains open in all directions.**

Drilling at the EP and Tenacity Zones continues to return spectacular results, with both horizons having open pit and underground resource potential. The operator believes that historic and new results will be utilized in an NI 43-101 compliant resource calculation. The current program at **Hardrock Project** is expected to consist of more than 50,000 metres of definition and exploration drilling.

Importantly, the Hardrock Project has the potential for defining several styles of mineralization capable of hosting resources, with grades and widths similar to many of Ontario's major gold mines including:

- 1) Open pit-style mineralization with grades exceeding 1.5 g/t Au (Timmins, Hemlo)
- 2) Broad zones of mineralization with grades averaging 5.0+ g/t Au (Musselwhite)
- 3) Narrow vein zones with higher gold grades often exceeding 7.0g/t (Red Lake, Pickle Lake).

The Project is operated by Premier Gold Mines Limited (TSX-PG) under a joint venture in which Premier is earning a 70% interest and Roxmark has a 30% carried interest. The **Hardrock Project** is host to several past-producing mines which collectively produced more than 2.0 million ounces of gold from the same deposits to shallow depths of some 2000 feet (600 metres) from 1938-1968. The mined zones remained open at depth at the time mining ceased and developed historical resources were left in place within the existing mine workings. *(A qualified person has not done sufficient work to verify the historical resource, the Company is not treating the historical resource as a current resource and the historical resource should not be relied upon).*

Initial drilling is focusing on delineating both open pit and underground resources so that a NI43-101 compliant resource calculation can be completed in Q4 2009, with the goal of defining a multi-million ounce gold resource that can be moved quickly towards development (*see references to historical resources above.*). The Project offers development advantages with the Trans-Canada Highway, Trans-Canada Pipeline, and major power lines running through or located proximal to the property. Significant potential exists for developing resources in several areas including: open pit-style mineralization at the site of the original discovery where a resource containing several hundred thousand ounces of gold was partially drilled off by previous operators; several newer high-grade discoveries that have been made throughout this large property package that have received little to no follow-up; resource blocks reported to remain within the mine workings; and the main mined zones which remain open below the 600 m level.

Stephen McGibbon, P. Geo., is the Qualified Person for the information contained in this news release and is a Qualified Person within the meaning of National Instrument 43-101. The assay results presented are from core samples sent to Activation Laboratories, an accredited mineral analysis laboratory in Thunder Bay, Ontario, for preparation and analysis utilizing both fire assay and screen metallic methods.

The **Hardrock Project** is located in the heart of the Beardmore-Geraldton Greenstone Belt, a highly prospective high-grade gold district that has seen relatively little exploration over the past several decades.

About Roxmark Mines

Roxmark Mines Limited is the leader in gold and molybdenum exploration and development in the historically significant Geraldton-Beardmore area of Northwest Ontario. In addition to the Hardrock Project in the Geraldton Camp, Roxmark is aggressively pursuing a number of initiatives in the Beardmore Camp, including re-opening the Northern Empire Mine utilizing the upgraded onsite mill. In recent years, Roxmark has generated cash flow from bulk-sampled gold and molybdenum processed at this fully-permitted mill and has the advantage of infrastructure from nine formerly highly productive gold mines located on its properties. These mines previously produced nearly four million ounces of gold from high-grade ore but were closed primarily due to dramatically lower gold prices at the time and to boundary issues, since eliminated.

Further information is available on the Company's website at www.roxmark.com and on SEDAR under the Company's profile at www.sedar.com.

Forward-Looking Statements

This news release includes certain "forward-looking statements". Such forward-looking statements involve risks and uncertainties. The results or events predicted in these forward-looking statements may differ materially from actual results or events. Any forward-looking statement speaks only as of the date of this news release and, except as may be required by applicable securities laws, the Company disclaims any intent or obligation to update any forward-looking statement, whether as a result of new information, future events or results or otherwise.

Monir Younan, President
Roxmark Mines Limited
801- 80 Richmond St. West
Toronto, Ontario M5H 2A4

Tel.: (416) 860-1636
Fax: (416) 360-7355
E-mail: roxmark@on.aibn.com
Website: www.roxmark.com

Neither TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.