



1.45 oz/ton gold over 20 feet

ROXMARK REPORTS EXPANSION OF HIGH-GRADE GOLD ZONES AT HARDROCK PROJECT

Toronto, Ontario, October 27, 2009. Roxmark Mines Limited (TSXV–RMK) today announced that ongoing drilling by Premier Gold Mines Limited (TSX –PG) as operator continues to delineate multiple high-grade gold zones at the Hardrock Project in Northwestern Ontario. Highlights from recent drilling include additional high-grade intersections in the High Grade North (HGN) Zone and the discovery of near-surface high-grade vein-style mineralization in the New North (NN) Zone:

- Drilling to follow up intersections of up to 1,141.5g/t Au across 2.0m in the HGN Zone continues to define high-grade vein-style mineralization with new intercepts of up to 49.81g/t Au across 6.0m.
- Drilling at the NN Zone has intersected near-surface high-grade vein-style mineralization with intersections of up to 39.15 g/t Au across 3.6m in addition to further defining potentially open pit-style mineralization along strike from the EP Zone.
- Expansion drilling at the South Porphyry (SP) Zone continues to define high-grade mineralization with intersections of up to 15.68g/t Au across 3.4m.

Recent drilling has discovered high-grade gold mineralization (HGN Zone) in close proximity to existing mine workings below and north of the main EP Zone. Mineralization has been intersected over a plunge length of approximately 200 metres where it remains open up and down plunge. New intersections including 49.81g/t Au (1.45 oz/ton gold) across 6.0m (19.7 feet) in hole EP119 complement previously released intersections of 1,141.54 g/t Au (33.33 oz/ton) across 2.0m (6.6 feet) in hole EP105 within the HGN Zone, 8.84g/t Au (0.26 oz/ton) across 7.0m (23.0 feet) in hole EP105 within the NL Zone and 12.5g/t Au (0.36 oz/ton) across 6.7m (22.0 feet) in hole OR007 within the NL Zone. New drill results from the HGN Zone are contained in the following table.

Recent near-surface holes drilled in the NN Zone, located along strike from (and west of) from the EP Zone, suggest the potential for defining open-pit resources with intersections up to 6.42g/t Au (0.24 oz/ton) across 22.4m (73.5 feet). Follow-up drilling continues to define broad zones of near-surface mineralization in addition to a new high-grade vein zone that has returned 39.15g/t Au (1.14 oz/ton gold) across 3.6m (11.8 feet) in hole MM048. New drill results from the NN Zone are contained in the following table.

New Sub Zone Intercepts from Hardrock

Hole-ID	UTM Coordinates (m)	Dip/Azimuth (degrees)	From (m)	To (m)	Interval (m)	Grade (g/tonne)	Interval (ft)	Grade (oz/ton)	Zone
EP117	5502940 N 504675 E	-60/360	286.5	300.4	13.9	0.90	45.6	0.03	NLB
			305.7	322.6	16.9	1.80	55.4	0.05	NLC
			374.0	374.4	0.4	9.59	1.3	0.28	HGN
EP118	5502910 N 504725 E	-60/360	364.5	370.5	6.0	49.81	19.7	1.45	NLC
including			364.5	366.0	1.5	291.00	4.9	8.50	NLC
MM047	5502968 N 504297 E	-45/360	66.0	86.0	20.0	1.54	65.6	0.04	NN
MM048	5502968 N 504352 E	-45/360	26.8	30.4	3.6	39.16	11.8	1.14	HGV
			106.9	112.2	5.3	3.09	17.4	0.09	NN
EP119	5502925 N 504401 E	-50/360	139.5	142.5	3.0	1.20	9.8	0.04	NN
			208.8	219.0	10.2	5.67	33.5	0.17	SLA
			337.8	339.6	1.8	9.40	5.9	0.27	x
			346.2	355.4	9.2	1.80	30.2	0.05	HGN
including			353.5	355.4	1.9	3.95	6.2	0.12	HGN
EP120	5502994 N 504402 E	-45/360	47.5	49.0	1.5	1.79	4.9	0.05	NN
MM041	5502675 N 504150 E	-50/360	264.5	267.3	2.8	4.74	9.2	0.14	SP
			330.5	334.5	4.0	4.47	13.1	0.13	F
including			330.5	331.0	0.5	24.60	1.6	0.72	F
MM042	5502676 N 503950 E	-55/360	285.7	286.7	1.0	3.84	3.3	0.11	SP
			369.6	384.5	14.9	1.50	48.9	0.04	F
			394.0	399.9	5.9	3.23	19.4	0.09	F
MM043	5502630 N 504000 E	-55/360	338.0	375.4	37.4	3.73	122.7	0.11	SP
including			348.2	352.0	3.8	9.49	12.5	0.28	SP
including			362.5	365.2	2.7	10.43	8.9	0.30	SP
including			372.0	375.4	3.4	15.68	11.2	0.46	SP
MM044	5502689 N 503842 E	-60/360	352.5	381.0	28.5	3.39	93.5	0.10	SP
including			363.5	369.9	6.4	6.48	21.0	0.19	SP
including			374.0	381.0	7.0	6.75	23.0	0.20	SP

			409.0	417.0	8.0	8.57	26.2	0.25	F
MM045	5502676 N 503751 E	-60/360	Assays pending						
MM046	5502652 N 503749 E	-60/360	Assays pending						
PIT022			60.5	80	19.5	1.85	63.96	0.05	PIT
			97	146.5	49.5	0.87	162.36	0.03	SP
including	5502765 N 504550 E	-55/360	97	101	4	5.75	13.12	0.17	SPA
			213.7	247.5	33.8	0.69	110.864	0.02	PIT
			490	491	1	7.27	3.28	0.21	X
			552.9	553.2	0.3	17.8	0.984	0.52	HGN

True widths estimated at approximately 70% of intersection widths SL - South Limb EP Zone NL - North Limb EP Zone
HGN - High Grade North Zone HGV - High Grade Vein NN - New North Zone SP - South Porphyry Zone
PIT - Porphyry Hill

Ongoing work at Hardrock is testing both open pit and underground type targets. The EP and NN Zones are two of several potential open pit zones that are being detailed in preparation for the completion of an NI 43-101-compliant resource calculation which is expected to be completed in Q4 2009 (initial open pit resource).

Significant potential exists for developing resources in several areas including:

- Open pit-style mineralization at sites where historic resources were partially delineated by previous operators, in addition to newly defined mineralization at the Tenacity, EP and Kailey Zones;
- Numerous surface and historic high-grade gold intercepts throughout the large property package that have received little to no follow-up;
- Historic resource blocks reported to remain within the mine workings, including high-grade vein targets; and,
- The main mined zones which remain open below the 600m Level.

The Hardrock Project is operated under a joint venture with Roxmark and Premier (Roxmark holds a 30% interest). The Hardrock Project is host to several past-producing mines which collectively produced nearly 3.0 million ounces of gold primarily from relatively shallow depths (600 metres) from 1938-1968. **A recent hole to test the North Zone horizon below the bottom mine level at Hardrock has intersected several mineralized zones further demonstrating the potential for the project. This hole is the first deep hole completed by the joint venture.** The Hardrock Project benefits from development advantages with the Trans-Canada Highway, Trans-Canada Pipeline, and major power lines running through the centre of the property.

Stephen McGibbon, P. Geo., is the Qualified Person for the information contained in this press release and is a Qualified Person within the meaning of National Instrument 43-101. Assay results are from core samples sent to Activation Laboratories, an accredited mineral analysis

laboratory in Ancaster, Ontario, for preparation and analysis utilizing both fire assay and screen metallic methods.

About Roxmark Mines

Roxmark Mines Limited is the leader in gold and molybdenum exploration and development in the historically significant Geraldton-Beardmore area of Northwest Ontario. In addition to the Hardrock Project in the Geraldton Camp, Roxmark is pursuing a number of initiatives in the Beardmore Camp, including re-opening the Northern Empire Mine and its onsite mill and expanding the resource base at the Leitch-Sand River Mine, once Canada's richest producing gold mine. In recent years, Roxmark has generated cash flow from bulk-sampled gold and molybdenum processed at its fully-permitted mill and has the advantage of infrastructure from nine formerly highly productive gold mines located on its properties. These mines previously produced nearly four million ounces of gold from high-grade ore but were closed primarily due to boundary issues and dramatically lower gold prices at the time.

On October 13, 2009, Roxmark and Ontex Resources announced their intention to merge, subject to shareholder approval and other conditions, creating a combined company with significantly greater gold resources and land holdings in the Geraldton-Beardmore area—as well as important operational synergies. The merger values each Roxmark share at .8 of an Ontex share.

Further information is available on the Company's website at www.roxmark.com and on SEDAR under the Company's profile at www.sedar.com.

Forward-Looking Statements

This news release includes certain “forward-looking statements”. Such forward-looking statements involve risks and uncertainties. The results or events predicted in these forward-looking statements may differ materially from actual results or events. Any forward-looking statement speaks only as of the date of this news release and, except as may be required by applicable securities laws, the Company disclaims any intent or obligation to update any forward-looking statement, whether as a result of new information, future events or results or otherwise.

Monir Younan, President
Roxmark Mines Limited
801- 80 Richmond St. West
Toronto, Ontario M5H 2A4

Tel.: (416) 860-1636
Fax: (416) 360-7355
E-mail: roxmark@on.aibn.com
Website: www.roxmark.com

Neither TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.