



## **1.54 OZ/TON GOLD OVER 25.9 FEET**

# **ROXMARK REPORTS EXPANSION OF HIGH-GRADE OPEN PIT POTENTIAL AT HARDROCK PROJECT**

---

**Toronto, Ontario, November 11, 2009.** Roxmark Mines Limited (TSXV–RMK) today announced results from drilling carried out in the Hardrock Project’s NN Zone by Premier Gold Mines Limited (TSX–PG) as operator, comprising the final data to be used for an upcoming NI 43-101 resource calculation relating to open pit style deposits. Drilling has delineated multiple zones potentially amenable to open pit mining, including recently identified high-grade gold mineralization within the NN Zone. **Highlights from recent drilling include the following results:**

- **5.26 grams per tonne gold (g/t Au; 0.15 ounces per ton) across 11.7 metres (m; 38.4 feet) in hole MM053**
- **3.50 g/t Au (0.10 ounces/ton) across 36.5m (119.7 feet) in hole MM056**
- **52.90 g/t Au (1.54 ounces/ton) across 7.9m (25.9 feet) in hole MM062**
- **35.45 g/t Au (1.04 ounces/ton) across 3.6m (11.8 feet) in hole MM066**

Recent near-surface holes drilled in the NN Zone, located west along strike from the EP Zone, suggest the potential for defining open-pit resources with multiple horizons having intersection widths of up to **36.5 metres (119.7 feet)**. New drill results from the NN Zone are contained in the table below.

Premier intends to release the results of the initial resource estimate prior to the end of 2009. Initial drilling results during the latter stages of 2009 support Premier’s belief that additional mineral resources, amenable to underground mining methods, may be delineated at depth. It is Premier’s intention to aggressively pursue this style of drill target during 2010 with the goal of amending the initial mineral resource sometime after the end of the second quarter.

At Hardrock, significant potential exists for developing resources in several areas including:

- Open pit-style mineralization at sites where historic resources were partially delineated by previous operators, in addition to newly defined mineralization at the Tenacity, EP and Kailey Zones;
- Numerous surface and historic high-grade gold intercepts throughout the large property package that have received little to no follow-up;
- Historic resource blocks reported to remain within the mine workings, including high-grade vein targets; and,
- The main mined zones which remain open below the 600m level.

“Since January, the focus at Hardrock has been defining open pit style mineralization, an endeavour that has exceeded our initial expectations”, stated Ewan Downie, President of Premier Gold. “With our initial mineral resource estimate now imminent, we have shifted our focus toward outlining higher grade underground style resources. This effort has already resulted in one new high grade discovery”.

### New Sub Zone Intercepts from NN Zone drilling at Hardrock

Hole-ID	UTM Coordinates (m)	Dip/Azimuth (degrees)	From (m)	To (m)	Interval (m)	Grade (g/tonne)	Interval (ft)	Grade (oz/ton)	Zone
MM052	5502941N 504351E	-45/360	52.5	54.0	1.5	3.37	4.9	0.10	upper NN
			104.0	117.0	13.0	1.02	42.6	0.03	NN
			162.1	163.6	1.5	2.16	4.9	0.06	lower NN
MM053	5502990N 504351E	-45/360	30.0	33.0	3.0	1.53	9.8	0.04	upper NN
			57.0	68.7	11.7	5.26	38.4	0.15	NN
MM054	5502964N 504217E	-45/360	61.0	62.5	1.5	2.25	4.9	0.07	upper NN
MM055	5502943N 504302E	-45/360	15.0	31.5	16.5	2.24	54.1	0.07	upper NN
			157.5	160.5	3.0	3.98	9.8	0.12	NN
			169.5	171.0	1.5	1.90	4.9	0.06	lower NN
MM056	5502925N 504217E	-50/360	42.0	78.5	36.5	3.50	119.7	0.10	upper NN
			158.9	168.3	9.4	5.16	30.8	0.15	NN
			175.7	181.0	5.3	7.44	17.4	0.22	lower NN
MM057	5502995N 504298E	-45/360				NSV			NN
MM058	5502972N 504143 E	-45/360	34.8	46.5	11.7	1.00	38.4	0.03	upper NN
			134.6	137.1	2.5	3.27	8.2	0.10	NN
			166.1	167.3	1.2	5.57	3.9	0.16	lower NN
MM059	5502905N 504350E	-45/360	63.0	69.2	6.2	1.00	20.3	0.03	upper NN
			126.5	128.0	1.5	71.20	4.9	2.08	x
			185.5	188.9	3.4	5.69	11.2	0.17	NN
			217.0	222.0	5.0	2.48	16.4	0.07	lower NN
MM060	5502930N 504250E	-45/360	144.0	176.1	32.1	1.25	105.3	0.04	NN
MM061	5502981N 504116 E	-45/360	33.0	37.5	4.5	1.05	14.8	0.03	upper NN
			96.0	99.0	3.0	1.20	9.8	0.04	NN
			149.9	151.3	1.4	2.46	4.6	0.07	lower NN
MM062	5502885N 504217E	-47/360	110.2	111.4	1.2	1.08	3.9	0.03	upper NN
			220.2	228.1	7.9	52.90	25.9	1.54	NN
			245.5	247.5	2.0	3.52	6.6	0.10	lower NN
MM063	5502915N 504290E	-45/360	109.0	114.5	5.5	3.49	18.0	0.10	upper NN
			158.5	160.0	1.5	18.80	4.9	0.55	NN
			191.4	193.0	1.6	1.10	5.2	0.03	lower NN
MM064	5502980N 504251E	-45/360	41.0	42.0	1.0	5.60	3.3	0.16	NN
MM065	5503005N 504185E	-45/360	46.4	47.8	1.4	2.09	4.6	0.06	NN
MM066	5503005N 504250E	-45/360	4.2	6.5	2.3	13.03	7.5	0.38	upper NN
			65.5	69.1	3.6	35.45	11.8	1.04	NN
MM067	5502910N 504150E	-50/360	107.0	108.5	1.5	15.30	4.9	0.45	x
			121.1	123.5	2.4	4.05	7.9	0.12	upper NN
			152.5	160.0	7.5	3.04	24.6	0.09	NN
			180.5	182.0	1.5	2.28	4.9	0.07	lower NN
MM068	5503015N 504350E	-45/360	11.5	14.5	3.0	3.91	9.8	0.11	NN
MM069	5503030N 504250E	-45/360				NSV			

True widths estimated at approximately 70% of intersection widths

NSV – No Significant Values

The Hardrock Project, located near Geraldton, Ontario, is operated under a joint venture with Roxmark and Premier (Roxmark holds 30% carried interest). The Hardrock Project is host to several past-producing mines which collectively produced nearly 3.0 million ounces of gold primarily from relatively shallow depths (600 metres) from 1938-1968. **A recent hole to test the North Zone horizon below the bottom mine level at Hardrock has intersected several mineralized zones further demonstrating the potential for the project. This hole is the first deep hole completed by the joint venture.** The Hardrock Project benefits from development advantages with the Trans-Canada Highway, Trans-Canada Pipeline, and major power lines running through the centre of the property.

Stephen McGibbon, P. Geo., is the Qualified Person for the information contained in this press release and is a Qualified Person within the meaning of National Instrument 43-101. Assay results are from core samples sent to Activation Laboratories, an accredited mineral analysis laboratory in Ancaster, Ontario, for preparation and analysis utilizing both fire assay and screen metallic methods.

### **About Roxmark Mines**

Roxmark Mines Limited is the leader in gold and molybdenum exploration and development in the historically significant Geraldton-Beardmore area of Northwest Ontario. In addition to the Hardrock Project in the Geraldton Camp, Roxmark is pursuing a number of initiatives in the Beardmore Camp, including re-opening the Northern Empire Mine and its onsite mill and expanding the resource base at the Leitch-Sand River Mine, once Canada's richest producing gold mine. In recent years, Roxmark has generated cash flow from bulk-sampled gold and molybdenum processed at its fully-permitted mill and has the advantage of infrastructure from nine formerly highly productive gold mines located on its properties. These mines previously produced nearly four million ounces of gold from high-grade ore but were closed primarily due to boundary issues and dramatically lower gold prices at the time.

On October 13, 2009, Roxmark and Ontex Resources announced their intention to merge, subject to shareholder approval and other conditions, creating a combined company with significantly greater gold resources and land holdings in the Geraldton-Beardmore area—as well as important operational synergies. The merger values each Roxmark share at 0.8 of an Ontex share.

Further information is available on the Company's website at [www.roxmark.com](http://www.roxmark.com) and on SEDAR under the Company's profile at [www.sedar.com](http://www.sedar.com).

### **Forward-Looking Statements**

This news release includes certain “forward-looking statements”. Such forward-looking statements involve risks and uncertainties. The results or events predicted in these forward-looking statements may differ materially from actual results or events. Any forward-looking statement speaks only as of the date of this news release and, except as may be required by applicable securities laws, the Company disclaims any intent or obligation to update any forward-looking statement, whether as a result of new information, future events or results or otherwise.

Monir Younan, President  
Roxmark Mines Limited  
801- 80 Richmond St. West  
Toronto, Ontario M5H 2A4

Tel.: (416) 860-1636  
Fax: (416) 360-7355  
E-mail: [roxmark@on.aibn.com](mailto:roxmark@on.aibn.com)  
Website: [www.roxmark.com](http://www.roxmark.com)

Neither TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.